

Neblina Forest Trip Report

**Tour Leader:**

**Lelis Navarrete**

**LIMA, CUZCO, MACHU PICHU AND THE MANU  
BIOSPHERE RESERVE**

PREPARED FOR NEBLINA FOREST

BY

LELIS NAVARRETE

August 15 – September 5

Petra Rank and Manfred Rank.

August 15. I was waiting for Petra and Manfred in Cusco after finishing my previous trip to Manu. Petra and Manfred arrived in the early morning coming from Lima to Cusco and, after arriving we took a very short drive to Huacarpay Lake. Later on the day we returned to Cusco checking in the very comfortable and nice Agustin Imperial Hotel,

August 16. Long drive from Cusco to Pillahuata, starting at 6:00 AM having box lunch in the way and arriving at Wayquecha at 4:00 PM to allow some leisure birding near the Research Station.

It was a sunny day that finally got cloudy once we descended the Ajanaco pass..

August 17. Early morning birding te Pillahuata forest and mid morning drive to Cock of the Rock Lodge near the San Pedro creek. The weather was propitious in the morning but probablty sunny for most of the afternoon.

August 18. Early morning drive back towards Cusco to reach 2100 m elevation to the site known as Rocotal and in the afternoon bird along the road near the lodge It was a clear and sunny day and even when the birding wasn't very active, except for the early morning and late afternoon, we were able to find several bird flocks throughout the day.

August 19. Early morning birding near the lodge and the San Pedro and Quita Calzón bridge areas for the afternoon.

August 20. Early morning birding San Pedro area and a mid morning drive towards Atalaya and the famous Amazonia Lodge. Another "dry" and sunny day.

August 21. It was a great full day in Amazonia Lodge with many wonderful birds. We spent most our morning along the Jeep trail and the afternoon exploring the Bamboo trail.

August 22. Another successful day in Amazonia Lodge. We visited the tower on the hills and the trails inside forest the upper part of the lodge for the morning while during the afternoon we concentrated our efforts along the trails near the lodge.

August 23. Another really good morning in Amazonia Lodge, during the late morning we started our boat journey to Manu Wild Life Center. A beautiful day for a boat ride along the Madre de Dios River, clear and sunny.

August 24. Early morning visit to the Macaw clay leek, where the birds performed gratefully since it was one another sunny and clear day, PM we returned to visit the island vegetation near the macaw clay leek.

August 25. Early morning visit to the Antthrush Trail and during the midmorning we visited the Bamboo forest along the Cocha Nuevo Trail. The afternoon was devoted to visit the Blanco Lake to enjoy great views of a lonely Giant Otter.

August 26. Early visit to Camungo tower where the first two hours were awesome with great activity, as soon as the weather was too hot we decided to descend from the tower and walk the trails near the lake for the rest of the morning. The morning walk produced a troop of the rare and local Goeldi's Monkey.

August 27. This day was dedicated entirely to visit the forest trails behind the lodge, including a visit to the Tapir Clay leek where we had our lunch. The day was overcast and the temperature moderately hot and the activity continued throughout the day. It was a perfect day for birding the Amazonian Lowland Rainforest.

August 28. This was a long and tiring day to catch our flight back to Cusco. Once we finally arrived we rested for the rest of the day. Thankfully we recharged our energy and boosted our birding appetite.

August 29. Early train ride from Poroy to Aguas Calientes and immediate visit to Macchu Pichu where we spend most of the afternoon, and then we birded the late afternoon along the road near the ruins entrance.

August 30. The early morning was devoted to bird the grounds of the Pueblo Nuevo Hotel, the midmorning was devoted to explore the lower part of the road heading to the ruins. PM after lunch train ride back to Cusco.

August 31. The early morning had us catching our flight back to Lima where we arrived in the midmorning, after checking in our hotel we went to explore the Lima ocean front and the afternoon was devoted to visit the Pantanos de Villa marshlands

September 1st. Early morning drive to Lomas de Lachay, where we spend the rest of the day until our return to Lima. It was a very foggy day and we were exposed to a constant mild rain but it was a productive day.

September 2nd. Early morning leaving to bird the entire length of the Santa Eulalia Road. We arrived to La Oroya only after dark.

September 3th. The visit to the highlands had us starting a little later than the usual. We went to explore the Ticlio bog and the upper part of the Santa Eulalia road. In the way down to Lima we pay a quick visit to some forest above San Marcos.

September 4<sup>th</sup>. A restful day in Lima dedicated to explore some museums and sites in Lima.

September 5<sup>th</sup>. International flights returning to home.

The Main trip along Cusco, Manu and Macchu Pichu was very productive.

We recorded 630 species more than 1/3 of the Peruvian species.

62 were only heard

There were only 6 species I saw and Petra and Mamfred didn't see

The four days trip extension around Lima, Santa Eulalia and Lomas de Lachay added some extra 68 species seen,

The complete trip recorded a grand TOTAL of 698 spepcies.

ALL PICTURES BY LELIS NAVARRETE

Great Tinamou *Tinamus tao* - Heard in mazonia and one see well along the Camungo trails.

Cinereous Tinamou *Crypturellus cinereus* - Several heard near Amazonia and Manu.

Little Tinamou *Crypturellus soui* - Several heard near Amazonia and one finally seen in Manu.

Undulated Tinamou *Crypturellus undulatus* – The most common voice in the lowlands where we finally saw a couple.

Brown Tinamou *Crypturellus obsoletus* – Single birds only heard near Cock-of-the-Rock and Amazonia Lodge.

Black-capped Tinamou *Crypturellus atrocapillus* – Several only heard, very common voice in Amazonia Lodge.

Bartlet's Tinamou *Crypturellus bartletti* – Several heard near Manu Wildlife Center and one only seen in the foothills just above Amazonia Lodge.

Speckled Chachalaca *Ortalis guttata* – Very common specially around Amazonia Lodge, where several were feeding on the feeders.

Andean Guan *Penelope montagnii* – Several seen near Pillahuata and near Cock-of-the-Rock.

Spix's Guan *Penelope jacquacu* – Heard only in Amazonia Lodge and finally four were seen inside forest along the MWC trails.

Blue-throated Piping Guan *Pipile cumanensis grayi*– a regular bird in Amazonia Lodge and a pair more in MWC river edge.

Wattled Guan *Aburria aburri* – Hear only from the upper forest over the Amazonia Lodge tower.

Razor-billed Curassow *Mitu tuberosa* – A handsome male was seen along the river edge along the Madre de Dios River near MWC lodge.

Rufous-breasted Wood-Quail *Odontophorus gujanensis* – A family of eight were seen right by the road near the San Pedro area.

Stripe-faced Wood-Quail *Odontophorus balliviani* – Only heard near Aguas Calientes.

Starred Wood-Quail *Odontophorus stellatus* – Heard only in Amazonía Lodge and Petra saw a few when she was taking a moment to make a bathroom stop inside forest near Manu Wild Life Center lodge.

Horned Screamer *Anhima cornuta* – Fairly numerous in the lakes at Manu.

Andean Goose *Chloephaga melanoptera* – A couple along the upper part of the Santa Eulalia Road and four more in the Ticlio area.

Orinoco Goose *Neochen jubata* – A few were seen in the Madre de Dios River.

Muscovy Duck *Cairina moschata* – Fairly common in the Madre de Dios river and in the lakes of Manu region.

Torrent Duck *Merganetta armata* – Very numerous in the Urubamba river near Macchu Pichu.



Speckled Teal *Anas flavirostris* - Fairly common in the Hucarpay lake.

Crested Duck *Lophonetta specularioides* – A pair was seen only at Ticlio.

Yellow-billed Pintail *Anas georgica* - Fairly common in the Hucarpay lake.

White-cheeked Pintail *Anas bahamensis* - A pair was seen in Pantanos de Villa.

Puna Teal *Anas puna* - Fairly common in the Hucarpay lake.

Cinnamon Teal *Anas cyanoptera* – Very common in the Hucarpay Lake and a few more in Pantanos de Villa.

Andean Duck *Oxyura ferruginea* - A few were seen in Pantanos de Villa and some more at Ticlio.

Least Grebe *Tachybaptus dominicus* – Eight were seen

at Blanco lake.

Pied-billed Grebe *Podilymbus podiceps* – A few were seen in Pantanos de Villa.

White-tufted Grebe *Rollandia rolland* - A few were seen in the Hucarpay Lake.

Great Grebe *Podiceps major* - A few were seen in Pantanos de Villa.

Neotropic Cormorant *Phalacrocorax brasilianus* – Very common in the eastern lowland rainforest and also in the coastal area of Lima.

Guanay Cormorant *Phalacrocorax bougainvillii* – Several seen along the coast in Pantanos de Villa.

Peruvian Diving-Petrel *Pelecanoides garnotii* – One single was seen along the coast in Pantanos de Villa.

Peruvian Pelican *Pelecanus thagus* – Very common along the coastal area of Lima.

Peruvian Booby *Sula variegata* – Extremely common along the coast near Lima.

Fasciated Tiger-heron *Tigrisoma fasciatum* – Single birds were seen along the river close to Amazonia Lodge.

Rufescent Tiger-Heron *Tigrisoma lineatum* – Only one was heard in Amazonia Lodge and two more in Camungo Lake.

Boat-billed Heron *Choclearius choclearius* – Single birds were seen near MWC and also at Amazonia Lodge.

Black-crowned Night-Heron *Nycticorax nycticorax* – One was only seen in Pantanos de Villa

Striated Heron *Butorides striatus* – Small numbers in Manu and Pantanos de Villa.

Cocoi Heron *Ardea cocoi* – Small numbers in the Manu region.

Great Egret *Casmerodius albus* - Fairly common in the Manu region and in the Pantanos de Villa.

Capped Heron *Pilherodius pileatus* – A beautiful pair was seen in Amazonia Lodge.

Little Blue Heron *Egretta caerulea* – Small numbers in Huacarpay lake, lakes at Manu and also common in Pantanos de Villa.

Snowy Egret *Egretta thula* - Fairly common in the Manu region and in the Pantanos de Villa.

Puna Ibis *Plegadis ridgwayi* - Very common in Huacarpay lake and in Pantanos de Villa.

Wood Stork *Mycteria americana* - Fairly common in the Manu region

Turkey Vulture *Cathartes aura* – A few were seen near in several days near Amazonia Lodge.

Greater Yellow-headed Vulture *Cathartes melambrotos* - Fairly common in the Manu region.

Black Vulture *Coragyps atratus* - Fairly common in the Manu region. Also common in the Pantanos de Villa.

King Vulture *Sarcoramphus papa* – One was seen flying very high in the sky the day we were traveling from Amazonia to Manu.

Andean Condor *Vultur gryphus* - A pair was seen along the Santa Eulalia road. One of these birds was seen flying soaring below us and ascending to fly just in front of us.

White-tailed Kite *Elanus leucurus* – One was seen soaring above the hills near Huacarpay Lake.

Snail Kite *Rostrhamus sociabilis* – A pair was seen only in Blanco lake.

Double-toothed Kite *Harpagus bidentatus* – One single bird seen at Blanco Lake.

Plumbeous Kite *Ictinia plumbea* - Fairly common in the Manu region.

Cinereous Harrier *Circus cinereus* – Three were seen only in Huacarpay Lake.

Semicollared Hawk *Accipiter collaris* – A male of this rare bird was seen soaring along the Manu Road.

Crane Hawk *Geranospiza caerulescens* – One single bird was seen flying over the Blanco Lake.

Great Black-Hawk *Buteogallus urubitinga* – Three were seen near Manu WLC.

Black-collared Hawk *Busarellus nigricollis* – Only one bird was seen in Camungo Lake, unfortunately I was the only one that saw the bird.

Black-chested Buzzard-Eagle *Geranoaetus melanoleucus* – Four were seen in Lomas de Lachay and also a pair in the Santa Eulalia Road.

Roadside Hawk *Buteo magnirostris* – A very common bird specially along the Madre de Dios River.

Short-tailed Hawk *Buteo brachyurus* – One single bird was seen flying over the Manu road at the Rocotal area and also in Amazonia Lodge.

Variable Hawk *Buteo polyosoma* - Small numbers were seen in Lomas de Lachay, the highlands near Cusco and Santa Eulalia Road.

Zone-tailed Hawk *Buteo albonotatus* - One single bird was seen flying and perched at the Macaw clay leek.

Black-and-chestnut Eagle *Oroaetus isidori* – A juvenile bird was seen near the San Pedro area.

Black Caracara *Daptrius ater* – Small numbers were seen on a daily basis along the Manu region.

Red-throated Caracara *Daptrius americanus* – A couple were seen in Amazonia Lodge and one more flying over forest near Camungo Lake.

Mountain Caracara *Phalcoboenus megalopterus* – A few were seen in the highlands near Cusco and above Paucartambo also commonly seen Along Santa Eulalia Road and Ticlio.

Laughing Falcon *Herpetotheres cachinnans* – One single bird was seen at Amazonia Lodge.

Barred Forest-Falcon *Micrastur ruficollis* – One beautiful bird was seen the day we were moving from Cock-of-the-rock Lodge to Amazonia Lodge.

American Kestrel *Falco sparverius* – A few were seen near Huacarpay Lake, Cusco, Santa Eulalia, Ticlio also in the coast of Lima.

Bat Falcon *Falco rufigularis* – One single bird was seen in the way from Amazonia to Manu Lodge and one more along the Madre de Dios River near MWC.

Aplomado Falcon *Falco femoralis* – A pair was seen flying by the Huacarpay Lake.

Limpkin *Aramus guarauna* – Three birds were seen in the Blanco Lake.

Pale-winged Trumpeter *Psophia leucoptera* – A family group of eight were seen inside forest, very close by and for a long period of time along the trails in MWC, One of the highlights of the trip for Petra.

Gray-necked Wood-Rail *Aramides cajanea* – One single bird was seen at Amazonia Lodge and one another near the Macaw clay leek.

Gray-breasted Crake *Laterallus exilis* – It was only heard at Blanco Lake and another one heard in Camungo Lake.

Rufous-sided Crake *Laterallus melanophaius* – One single bird was heard in Camungo Lake.

Uniform Crake *Amaurolimnas concolor* – It was only heard near the Cabins at Amazonia Lodge.

Plumbeous Rail *Pardirallus sanguinolentus* – At least six were seen at Huacarpay lake.

Common Moorhen *Gallinula chloropus* – Very common bird, both at Huacarpay Lake and also at Pantanos de Villa.

Andean Coot *Fulica ardesiaca* - Very common bird, both at Huacarpay lake and also at Pantanos de Villa.

Giant Coot *Fulica gigantea* – Small numbers only in a highland lake along the upper Santa Eulalia road.

Sungrebe *Heliornis fulica* – Small numbers were seen in Amazonia Lodge and at least six more in Blanco lake.

Sunbittern *Eurypyga helias* – One single bird was seen along the river edge at Madre de Dios river by the Manu WLC.

Wattled Jacana *Jacana jacana* – fairly common bird at oxbow lakes in Manu area.

Blackish Oystercatcher *Haematopus ater* – A pair was seen on the pier at “Rosa Nautica Restaurant” on Lima coastal line.

American Oystercatcher *Haematopus palliatus* – A group of 6 were seen on the beach in Pantanos de Villa.

Black-necked Stilt *Himantopus himantopus* - A pair was only seen in Pantanos de Villa.

Peruvian Thick-knee *Burhinus superciliaris* – A small family group of six was seen along the Playas circuit of coastal Lima.

Pied Lapwing *Vanellus cayanus* – One was seen along the Madre de Dios River near the Manu Wild Life Center lodge.

Andean Lapwing *Vanellus resplendens* – A very common bird in Huacarpay lake and sacred valley and also in Ticlio and the upper Santa Eulalia Road.

Diademed Sandpiper-plover *Phegornis mitchellii* – One single bird was seen on a bog near Ticlio close to the Central highway pass.



Killdeer *Charadrius vociferus* – Small numbers were seen in Pantanos de Villa and a pair near Lomas de Lachay.

Collared Plover *Charadrius collaris* – Single bird and also a pair was seen along the sand bars of the Madre de Dios River near MWC.

Gray Plover *Pluvialis squatarola* – A pair was seen along the beach near Pantanos de Villa.

Puna Snipe *Gallinago andina* – At least five birds were seen flying away at a bog in Ticlio.

Greater Yellowlegs *Tringa melanoleuca* – It was only heard at Huacarpay Lake.

Lesser Yellowlegs *Tringa flavipes* - Four were seen only at

Huacarpay Lake.

Whimbrel *Numenius phaeopus* – At least ten were seen along the beach at Pantanos de Villa.

Ruddy Turnstone *Arenaria interpres* - Small numbers were seen along the coastal line along the beach at Pantanos de Villa.

Spotted Sandpiper *Actitis macularia* - Small numbers were seen along the Madre de Dios River near the Manu Wild Life Center area.

Sanderling *Calidris alba* – The most numerous wader along the coastal shore at Pantanos de Villa.

Baird's Sandpiper *Calidris bairdii* – Three individuals were seen feeding on the short grassy hills in Lomas de Lachay.

Wilson's Phalarope *Phalaropus tricolor* – A group of six individuals were seen on a pond in Pantanos de Villa.

Least Seedsnipe *Thinocorus rumicivorus* - Fairly common in Lomas de Lachay where we saw at least some twenty birds.

Gray-breasted Seedsnipe *Thinocorus orbignyianus* – At least some twenty birds were seen in the Highlands of the Central highway.

Band-tailed Gull *Larus belcheri* – The most common Gull along the Coastal area around Lima and Pantanos de Villa.

Gray Gull *Larus modestus* – Hundreds were seen in Pantanos de Villa and also along the coastal shore of Lima.

Kelp Gull *Larus dominicanus* – Fairly numerous at Pantanos de Villa and many more were seen along the coast of Lima.

Gray-hooded Gull *Larus cirrocephalus* - Fairly numerous at Pantanos de Villa and many more were seen along the coast of Lima.

Andean Gull *Larus serranus* – Fairly common in Huacarpay lake and in the highlands while riding the train to Aguas Calientes. Small numbers in the upper Santa Eulalia Road.

Yellow-billed Tern *Sternula superciliaris* – Fairly common in the Madre de Dios River.

Large-billed Tern *Phaetusa simplex* – A few were seen in the Madre de Dios river.

Inca Tern *Larosterna inca* – A resident colony is easily found along the coastal Lima and many others were seen in the coastal zone at Pantanos de Villa.

Black Skimmer *Rynchops niger* – A few were seen where riding the boat at the Madre de Dios River.

Spot-winged Pigeon *Patagioenas maculosa* – Six were seen near Huacarpay Lake, twenty more in the way to Paucartambo and at least fifty more in the highlands while riding the train to Aguas Calientes.

Band-tailed Pigeon *Patagioenas fasciata* - At least some twenty birds were seen flying overhead when moving from Pillahuata to San Pedro.

Pale-vented Pigeon *Patagioenas cayennensis* – Fairly common specially in the oxbow lakes in the Manu region.

Plumbeous Pigeon *Patagioenas plumbea* – A very common voice in the Manu region and a few were seen in Amazonia Lodge and the Cock-of-the-rock lodge forest.

Ruddy Pigeon *Patagioenas subvinacea* – Two pairs were daily seen at Amazonia lodge and others heard at Manu area.

Eared Dove *Zenaida auriculata* – Common in the Highlands around Cusco and extremely common on Lomas de Lachay and numerous along the coastal Lima area.

West Peruvian Dove *Zenaida meloda* – Very common in Lima and at Pantanos de Villa.

Croaking Ground-Dove *Columbina cruziana* – Fairly common at Lomas de Lachay and also a couple in Lima.

Bare-faced Ground-Dove *Metriopelia ceciliae* – A pair seen at Huacarpay Lake and four more along the Santa Eulalia Road.

Black-winged Ground-dove *Metriopelia melanoptera* – At least some ten birds were seen along the upper part of the Santa Eulalia Road.

Gray-fronted Dove *Leptotila rufaxilla* – A few were seen in Amazonia Lodge, a single bird near Cock of the rock Lodge and several others specially heard at Manu Wild Life Center lodge.

Blue-and-yellow Macaw *Ara ararauna* – Fairly common especially in the boat rides along the Madre de Dios River.

Scarlet Macaw *Ara macao* – Common in the Manu Wild Life Center lodge area.

Red-and-green Macaw *Ara chloroptera* – Very common especially at the clay leek in the Manu Wild Life Center lodge area where we saw at least some 160 birds.

Chestnut-fronted Macaw *Ara severa* – Fairly common in small groups at Amazonia and Manu Wild Life Center lodges.

Red-bellied Macaw *Orthopsittaca manilata* – Definite a rare bird for the lowlands only seen in Manu, where we saw some 10 birds.

Mitred Parakeet *Aratinga mitrata* – Several were heard close to Aguas Calientes and a group of at least fifty birds were seen near Paucartamabo.

White-eyed Parakeet *Aratinga leucophthalma* – Very numerous in the way from San Pedro to Atalaya, also common in Amazonia Lodge and numerous in the Manu area.

Dusky-headed Parakeet *Aratinga weddellii* – Fairly common at Amazonia and Manu Wild Life Center lodges.

Black-capped (Rock) Parakeet *Pyrrhura rupicola* – Unfortunately only heard them flying overhead in the Manu area.

Rose-fronted Parakeet *Pyrrhura roseifrons* – At least some twenty birds were seen feeding in a tree close to the Tapir clay leek inside forest behind the Manu Wild Life Center Lodge.  
Mountain Parakeet *Psilopsiagon aurifrons* – At least some 100 birds were seen in Lomas de Lachay.

Dusky-billed Parrotlet *Forpus sclateri* – A pair was seen trying to visit the Tapir clay leek inside forest behind the Manu Wild Life Center Lodge.

Cobalt-winged Parakeet *Brotogeris cyanoptera* – A few were seen at Amazonia and many more were seen near the Manu Wild Life Center lodge.

Tui Parakeet *Brotogeris sanctithomae* – Single birds were seen on two different days near MWC.

Amazonian Parrotlet *Nannopsittaca dachilleae* – Unfortunately only a pair was seen and heard flying really fast overhead when visiting Camungo Lake

White-bellied Parrot *Pionites leucogaster* – It was only heard from the treetops just behind Manu Wild Life Center lodge.

Orange-cheeked Parrot *Pytilia barrabandi* – This handsome bird is reliably seen at the clay leek where we saw at least six of them.

Blue-headed Parrot *Pionus menstruus* – By far the most common parrot in the lowlands and foothills of the Manu Biosphere Reserve.

Plum-crowned Parrot *Pionus tumultuosus* – Some eight birds were seen feeding from a tree close to the road at the Rocotal area.

Yellow-crowned Amazon *Amazona ochrocephala* – At least some 100 birds were seen attending the clay leek.

Scaly-naped Amazon *Amazona mercenaria* – Small numbers were seen only above Pillahuata and Andean Cock of the rock.

Mealy Amazon *Amazona farinosa* – Fairly common at the Macaw clay leek where we saw some 30 birds and heard in other areas of the Manu region.

Hoatzin *Opisthocomus hoazin* – Common near water in Amazonia lodge and the lakes near Manu Wild Life Center lodge.

Squirrel Cuckoo *Piaya cayana* – A few were seen at Amazonia Lodge and also heard in the Manu lowlands.

Little Cuckoo *Coccyua minuta* – A pair was seen at the Camungo lake shores and also heard in Amazonia Lodge.

Greater Ani *Crotophaga major* – A small group of four was seen at the Camungo lake shores.

Smooth-billed Ani *Crotophaga ani* – Small numbers were seen in Amazonia and in the Manu area.

Pavonine Cuckoo *Dromococcyx pavoninus* – One single bird was heard singing from the river edge along the Madre de Dios River very close to the MWC.

Rufous-vented Ground-Cuckoo *Neomorphus geoffroyi* - Unfortunately we only heard it bill snaps along the Cocha Nuevo trail.

Tawny-bellied Screech-Owl *Megascops watsonii* – Common voice at the Amazonia Lodge where we were able to find one bird in the open at the gardens of the lodge. This taxon south of the Amazon River might represent a separated species from the one North of the Amazon River.

New species of Owl *Ciccaba sp nov.* By far the most interesting bird found on the trip, a bird was seen for almost 3 minutes slightly above the Cock of the rock Lodge just along the Manu Road. Certainly there will be more to come about this species in the near future.

Crested Owl *Lophostrix cristata* – One was heard in the forest behind Manu Wild Life Center lodge.

Yungas Pygmy-Owl *Glaucidium bolivianum* – Two birds were nicely seen near in the Pillahuata area..

Amazonian Pygmy-Owl *Glaucidium hardyi* – Heard several times behind Manu Wild Life Center lodge and nicely seen from the Camungo tower.

Ferruginous Pygmy-Owl *Glaucidium brasilianum* – Three were seen along the river island close to the Macaw clay leek near the Manu Wild Life Center lodges.

Burrowing Owl *Athene cunicularia* – A family of four were seen in the south side of the Lomas de Lachay national park.

Great Potoo *Nyctibius grandis* – One was heard in Amazonia Lodge and one was seen up close at the tree where the Camungo tower is located.

Sand-colored Nighthawk *Chordeiles rupestris* - Very numerous in the late afternoon and early morning boat rides from Manu Wild Life Center lodge.

Pauraque *Nyctidromus albicollis* – Very common voice specially in Amazonia Lodge and also around Manu Wild Life Center lodge, where in Amazonia we saw one bird and at least 10 more were seen along the river edge at the Madre de Dios near the MWC.

Silky-tailed Nightjar *Caprimulgus sericocaudatus* – One female was seen seating on a nest inside forest in Manu Wild Life Center lodge area.

Lyre-tailed Nightjar *Uropsalis lyra* – A couple of females were seen just above Cock of the Rock Lodge and also heard near Aguas Calientes.

White-chinned Swift *Cypseloides cryptus* – A group of at least some fifty birds were seen flying over with other species just above Amazonia Lodge.

White-collared Swift *Streptoprocne zonaris* – Fairly common in Amazonia and Manu Wild Life Center lodges were good size groups were seen flying over head.

Chestnut-collared Swift *Streptoprocne rutila* – Some fifty birds were seen flying overhead at Amazonia Lodge.

Gray-rumped Swift *Chaetura cinereiventris* – A few were seen flying overhead at Amazonia Lodge.

Amazonian Swift *Chaetura viridipennis* – A pair was heard and then seen flying away over Amazonia Lodge, unfortunately neither Manfred or Petra were nearby to see them..

Short-tailed Swift *Chaetura brachyura* – Several were seen flying over Amazonia Lodge and also over the Camungo lake.

White-tipped Swift *Aeronautes montivagus* – It was only heard near Macchu Pichu.

Andean Swift *Aeronautes andecolus* – At least some fifty birds were seen along the upper Santa Eulalia road.

Fork-tailed Palm-Swift *Tachornis squamata* – Small numbers were seen flying over the oxbow lakes near Manu Wild Life Center.

Lesser Swallow-tailed Swift *Panyptila cayennensis* – A few were seen flying over Amazonia Lodge.

Rufous-breasted Hermit *Glaucis hirsuta* – One was seen flying by at close range in the Blanco oxbow Lake. Near Manu Wild Life Center.

Green Hermit *Phaethornis guy* - Two birds were seen on display at their lek near Aguas Calientes.

White-bearded Hermit *Phaethornis hispidus* – A single bird was seen visiting the feeders at Amazonia Lodge.

**Koepcke's Hermit** *Phaethornis koepckeae* – (E) One single bird was seen visiting the feeders at Amazonia Lodge.

Reddish Hermit *Phaethornis ruber* – Petra was the only one that was able to see a female near the Macaw clay leek.

Gray-breasted Sabrewing *Campylopterus largipennis* – At least six birds were seen daily in Amazonia lodge gardens.

White-necked Jacobin *Florisuga mellivora* – Small numbers were seen at the garden at Amazonia lodge.

Green Violetear *Colibri thalassinus* – A few were seen above Cock of the Rock lodge, also near the lodge and several others near Macchu Pichu.

Sparkling Violetear *Colibri coruscans* - Few were seen above and at Cock of the Rock lodge and several others at Amazonia Lodge and also near Macchu Pichu.

Violet-headed Hummingbird *Klais guimeti* – Male and a female were seen in two different days at Amazonia Lodge gardens.

Rufous-crested Coquette *Lophornis delattrei* – A male and a female of this handsome species were seen feeding on the flowers in the gardens at the Amazonia Lodge.

Wire-crested Thorntail *Discosura popelairii* – A male was seen feeding at the gardens of the Cock of the Rock lodge.

Blue-tailed Emerald *Chlorostilbon mellisugus* – A male seen feeding on the flowers in the garden at the Amazonia Lodge and a female was seen at the river island near the Macaw clay leek.

Fork-tailed Woodnymph *Thalurania furcata* – Several birds were seen in a variety of habitats in Amazonia and Manu Wild Life Center lodge areas.

Golden-tailed Sapphire *Chrysuronia oenone* – A few were seen in the way from San Pedro to Atalaya and at Amazonia lodge gardens and feeders.

White-bellied Hummingbird *Leucippus chionogaster* – A few were seen near Aguas calientes.

**Green-and-white Hummingbird** *Leucippus viridicauda* – (E) At least three birds were seen in the Pueblo Nuevo hotel in Aguas Calientes.

Many-spotted Hummingbird *Leucippus hypostictus* – Especially common on the hummingbird feeders in Cock of the Rock Lodge.

Sapphire-spangled Emerald *Amazilia lactea* – Small numbers were seen in the gardens at the Amazonia Lodge.

Amazilia Hummingbird *Amazilia amazilia* - A pair was seen along the way from Loma to lomas de Lachay.

**Peruvian Piedtail** *Phlogophilus harterti* – (E) One was briefly seen near Quitacalzón bridge where many others were heard.

Speckled Hummingbird *Adelomyia melanogenys* – Small numbers were seen along the way from Cusco to Manu road near Pillahuata and also in the Aguas Calientes area.

Violet-fronted Brilliant *Heliodoxa leadbeateri* - A very common species, especially common at the hummingbird feeders in Cock of the Rock Lodge.

Chestnut-breasted Coronet *Boissonneaua matthewsii* – A couple was seen just above Cock of the Rock Lodge at the Rocotal area and also near Macchu Pichu.

Shining Sunbeam *Aglaeactis cupripennis* – A few were seen in the highlands above Pillahuata and near Wayquecha.

Andean Hillstar *Oreotrochilus estella* – A pair was seen in the highlands in the way to Paucartambo.

**Black-breasted Hillstar** *Oreotrochilus melanogaster* – (E) A male and a female were seen at the Polylepis forest along the upper Santa Eulalia road, later on a male was seen at close range at the Santa Eulalia road near the Central highway.

Bronzy Inca *Coeligena coeligena* – One single bird was seen above Cock of the Rock Lodge in the Rocotal area.

Gould's Inca *Coeligena inca* – A few were seen just above Cock of the Rock Lodge and also in the Aguas Calientes forest. This is a split from Collared Inca.

Violet-throated Starfrontlet *Coeligena violifer* – Four to five were seen in the temperate forest above Pillahuata.

Sword-billed Hummingbird *Ensifera ensifera* – A pair was seen in the temperate forest above Pillahuata.

Giant Hummingbird *Patagona gigas* – A couple of the biggest hummingbird was seen in the scrubby habitat at Huacarpay Lake and also along the Santa Eulalia road.

Amethyst-throated Sunangel *Heliangelus amethysticollis* – Small numbers were seen around Pillahuata.

Buff-thighed Puffleg *Haplophaedia assimilis* – At least some six birds were seen just above Cock of the Rock Lodge, this is a definitely uncommon bird with a very restricted home range and a good split from Greenish Puffleg.

Booted Racket-tail *Ocreatus underwoodii* – A fairly common hummingbird at the Cock of the Rock Lodge gardens.

Green-tailed Trainbearer *Lesbia nuna* – Pairs were seen near the Huacarpay Lake and in a dry inner valley along then road from Cusco to Paucartambo.

**Bearded Mountaineer** *Oreonympha nobilis* – (E) A young male of this big, handsome and endemic species, were seen feeding on some bushes near Hucarpay lake.

Tyrian Metaltail *Metallura tyrianthina* – A few were seen in the temperate forest just above Pillahuata.

**Black Metaltail** *Metallura phoebe* – (E) At least two birds were seen in some forest patches just above San Marcos.



Rufous-capped Thornbill *Chalcostigma ruficeps* – A couple of males were seen feeding in some low flowers just aside the road bellow Pillahuata.

Long-tailed Sylph *Agelaiocercus kingi* – At least 2 birds were seen along the Manu road around the Rocotal area and also in the Aguas Calientes area.

**Bronze-tailed Comet** *Polyonymus caroli* – (E) One handsome male was seen just above San Marcos.

Black-eared Fairy *Heliathryx aurita* – A bird was seen from the canopy tower at Amazonia Lodge.

Oasis Hummingbird *Rhodopis cesper* – At least four individuals were seen feeding in some bushes at the Lomas de Lachay.

Peruvian Sheartail *Thaumastura cora* – At least six birds which mainly were juvenile males were seen at the Lomas de Lachay reserve.

White-bellied Woodstar *Chaetocercus mulsant*– A couple of female plumage birds were seen at the Cock of the Rock Lodge gardens and one more female near Aguas Calientes.

Purple-collared Woodstar *Myrtis fanny* – At least some eight birds were seen along the Santa Eulalia road.

Amazonian White-tailed Trogon *Trogon viridis* – A female was seen inside forest near the Manu Wild Life Center lodge.

Blue-crowned Trogon *Trogon curucui* – A couple was seen in Amazonia Lodge and others seen in Manu Wild Life Center forest.

Collared Trogon *Trogon collaris* – One was seen inside forest close to Camungo Lake.

Masked Trogon *Trogon personatus* – A pair was seen in the temperate forest above Pillahuata and also at Rocotal.

Black-tailed Trogon *Trogon melanurus* – A very common bird for Amazonia and Manu Wild Life Center lodges where it was seen almost every day.

Golden-headed Quetzal *Pharomachrus auriceps* – At least two males were seen near Pillahuata and a pair at Rocotal along the Manu road.

Pavonine Quetzal *Pharomachrus pavoninus* – An astonishing male responded to its voice imitation inside forest at the MWC.

Ringed Kingfisher *Megaceryle torquata* – A couple were seen flying along the Madre de Dios River.

Amazon Kingfisher *Chloroceryle amazona* – A fairly common species along the Madre de Dios River and some of the lakes at Manu.

Green Kingfisher *Chloroceryle americana* – One seen along the Madre de Dios River and one more at Camungo Lake.

Rufous Motmot *Baryphthengus martii* – Several birds were heard in Manu Wildlife Center area and probably the same individual was seen in two different days at the Cock of the Rock Lodge grounds.

Amazonian Motmot *Momotus momota* – It was only heard from inside forest near Manu Wild Life Center Lodge area. This species had recently been split from Blue-crowned Motmot in a recent study presented by G. Stiles 2009.

Highland Motmot *Momotus aequatorialis* - At least four birds were seen above Cock of the Rock Lodge along the Rocotal area and another four were seen near Aguas Calientes.

Broad-billed Motmot *Electron platyrhynchum* - Several were heard on Manu Wild Life Center lodge area and also heard in Amazonia Lodge.

Purus Jacamar *Galbalcrhynchus leucotis* – Six were seen at the Camungo Lake and 3 more were seen at the river island close to the Macaw clay leek..

Bluish-fronted Jacamar *Galbula cyanescens* – The most common jacamar with daily records in Amazonia and Manu Wild Life Center lodges.

Paradise Jacamar *Galbula dea* – A single was seen on the treetops inside forest close to Manu Wild Life Center lodge.

White-necked Puffbird *Notharchus hyperrhynchus* – It was only heard inside forest at Amazonia Lodge.

Chestnut-capped Puffbird *Bucco macrodactylus* – One was heard near Cock-of-the-rock Lodge and at least five were seen in Amazonia Lodge.

Striolated Puffbird *Nystalus striolatus* – a nice pair was seen inside forest close to Manu Wild Life Center lodge.

Black-streaked Puffbird *Malacoptila fulvogularis* – One bird was seen inside forest near Cock-of-the-rock Lodge.

Lanceolated Monklet *Micromonacha lanceolata* – One single bird was seen on the treetops inside forest near Cock-of-the-rock Lodge.

Rufous-capped Nunlet *Nonnula ruficapilla* – One bird was seen just above Atalaya where another bird was also heard and a pair was seen close to the nest along the Antthrush trail near Many WC.

Black-fronted Nunbird *Monasa nigrifrons* – A very common bird in Amazonia and Manu Wild Life Center lodges.

Swallow-winged Puffbird *Chelidoptera tenebrosa* – Fairly common along the second growth and shore of the Madre de Dios River.

Gilded Barbet *Capito auratus* – Fairly common in Manu Wild Life Center lodge area where we saw some five birds and many others heard.

Lemon-throated Barbet *Eubucco richardsoni* – A pair was nicely seen in Amazonia Lodge.

Versicolored Barbet *Eubucco versicolor* – At least a pair was seen in a daily basis around the Cock-of-the-rock Lodge.

Emerald Toucanet *Aulacorhynchus prasinus* – One single bird was seen inside forest at Amazonia lodge.

Blue-banded Toucanet *Aulacorhynchus coeruleicinctis* – At least four birds were seen above Cock of the Rock lodge at the Rocotal area.

Chestnut-eared Aracari *Pteroglossus castanotis* - The most common Aracari both in Amazonia and Manu Wild Life Center lodges, seen almost in a daily basis.

Curl-crested Araçari *Pteroglossus beauharnaesii* – It was only heard from inside forest close to Manu Wild Life Center lodge.

Gray-breasted Mountain-toucan *Andigena hypoglauca* – Despite all our efforts to locate this species we only heard it at the temperate forest above Pillahuata.

Channel-billed Toucan *Ramphastos vitellinus* – One was seen at the Macaw clay leek.

White-throated Toucan *Ramphastos tucanus* - Another common voice in the Manu Wild Life Center lodge area where a few were seen, especially along the Madre de Dios River.

Bar-breasted Piculet *Picumnus aurifrons* – It was only heard at Amazonia lodge.

Ocellated Piculet *Picumnus dorbygnianus* – A male was seen near Aguas Calientes.

Rufous-breasted Piculet *Picumnus rufiventris* – A nice pair was seen along the Amazonia Lodge second growth.

**Fine-barred Piculet** *Picumnus subtilis* – (E) Heard several times at Amazonia where we finally manage to see one at a close range.

Yellow-tufted Woodpecker *Melanerpes cruentatus* – One of the most common voices around Amazonia and Manu Wild Life Center lodges where it was seen almost in a daily basis.

Little Woodpecker *Veniliornis passerinus* – One was seen in second growth forest near the Macaw clay leek.

Red-stained Woodpecker *Veniliornis affinis* – One single bird was seen inside forest near Manu Wild Life Center lodge.

White-throated Woodpecker *Piculus leucolaemus* – It was heard in the Manu region and a pair finally seen at the Camungo tower.

Golden-olive Woodpecker *Colaptes rubiginosus* – At least four birds were seen just above the Cock of the Rock lodge. It was only heard near Aguas Calientes.

Crimson-mantled Woodpecker *Colaptes rivolii* – Unfortunately only heard near Wayquecha.

Spot-breasted Flicker *Colaptes punctigula* – One single bird was seen at the lake shore in Camungo Lake.

**Black-necked Woodpecker** *Colaptes atricollis* – (E) A nice pair was seen at close range along the lower Santa Eulalia Road.

Andean Flicker *Colaptes rupicola* – Three were seen near Huacarpay Lake and few others were seen in the upper part of the Santa Eulalia Road.

Rufous-headed Woodpecker *Celeus spectabilis* – One was seen heard at close range along the Antthrush trail and a family of three were nicely seen along the Cocha Nuevo bamboo trail. This one was one of the most desired birds for Petra.

Ringed Woodpecker *Celeus torquatus* – A pair was seen at the treetops from the inside forest behind Manu Wild Life Center Lodge.

Lineated Woodpecker *Dryocopus lineatus* – Several were heard and a couple seen in Amazonia lodge forest.

Crimson-crested Woodpecker *Campephilus melanoleucos* – A couple was seen in Amazonia lodge and others were heard in Manu Wild Life Center lodge area.

**Coastal Miner** *Geositta paytensis* – (E) Fairly numerous along the road up to Lomas de Lachay.

Slender-billed Miner *Geositta tenuirostris* – Three birds were seen in the highlands along the road from Cusco to Paucartambo.

**Thick-billed Miner** *Geositta crassirostris* – (E) A pair was seen along the upper Santa Eulalia Road.

**Striated Earthcreeper** *Upucerthia serrana* – (E) It was heard and seen at close range at the Polylepis Forest patches along the Santa Eulalia Road.

**Surf Cinclodes** *Cinclodes taczanowskii* – (E) One single bird was seen while the bird was trying to feed on a intertidal fish along the coastal shore very close to Lima. Great spotting by Manfred.

Cream-winged Cinclodes *Cinclodes albiventris* – Several birds were seen in the highlands near Cusco on the way to Paucartambo and many others along the Santa Eulalia Road.

**White-bellied Cinclodes** *Cinclodes palliatus* – (E) Several birds were seen at the Ticlio area near the Central Highway. A really rare bird.



Pale-legged Hornero *Furnarius leucopus* – A pair very loyal to the Amazonia lodge garden swas seen in a daily basis, also heard from the Cock of the Rock lodge gardens.

Wren-like Rushbird *Phleocryptes melanops* – Fairly common in the Huacarpay lake were we saw three of them.

**Rusty-crowned Tit-spinetail** *Leptasthenura pileata* – (E) One bird was seen using the scope at the Polylepis Forest along the Santa Eulalia

Road.

Puna Thistletail *Schizoeaca helleri* – A pair was seen in the temperate forest near Wayquecha.

Azara's Spinetail *Synallaxis azarae* – A few were seen near Pillahuata and Rocotal and another seen near Macchu Pichu, many others heard.

Dark-breasted Spinetail *Synallaxis albigularis* – A couple was seen in response to play back in Camungo Lake and a weird looking immature was also seen in Amazonia Lodge Second growth.

Cabanis' Spinetail *Synallaxis cabanisi* - One was nicely seen at Amazonia Lodge and two more were seen on at the Anthrush trail in the Manu Wild Life Center Lodge.

Plain-crowned Spinetail *Synallaxis gujanensis* – A resident pair was seen on a daily basis at Amazonia lodge gardens.

**Creamy-crested Spinetail** *Cranioleuca albicapilla* - (E) Despite the hit of the day we manage to see a responsive bird above Paucartambo.

Ash-browed Spinetail *Cranioleuca curtata* – Several birds were seen accompanying big mixed species flock at the Cock of the Rock lodge forest.

Speckled Spinetail *Cranioleuca gutturata* – One bird was briefly seen only by me in Amazonía but later on a singing pair was located inside forest near Camungo Lake.

**Rusty-fronted Canastero** *Asthenes ottonis* – (E) Three birds were seen in the scrubby forest around Huacarpay lake.

**Cactus Canastero** *Asthenes cactorum* - (E) At least half a dozen were seen in the south side of the Lomas de Lachay Park

**Canyon Canastero** *Asthenes pudibunda* – (E) At least four birds were seen along the Santa Eulalia Road.

Streak-throated Canastero *Asthenes humilis* - Four were seen in the highlands in the way from Cusco to Paucartambo and also a pair more in the highlands of the Santa Eulalia Road.

**Junín Canastero** *Asthenes virgata* – One bird was nicely seen along the Sant Eulalia Road.

Plain Softtail *Thripophaga fusciceps* – A pair was seen inside forest from a vine tangle at the Amazonia Lodge forest.

Streak-fronted Thornbird *Phacellodromus striaticeps* – A pair was seen in some scrubby habitat around Huacarpay lake.

Orange-fronted Plushcrown *Metopothrix aurantiacus* – A female was seen at the Amazonia Lodge forest.

Spotted Barbtail *Premnornis brunnescens* – A bird was seen at close range along the road edge at the Quitacalzón area.

Pearled Treerunner *Margarornis squamiger* – A pair was seen at the temperate forest above Pillahuata accompanying a mixed species flock.

Streaked Tuftedcheek *Pseudocolaptes boissonneautii* – One single bird was seen accompanying a mixed species flock above Wayquecha.

Montane Foliage-gleaner *Anabacerthia striaticollis* – Pairs were seen almost in a daily basis along the forest edge at and above Cock of the Rock lodge.

Striped Treehunter *Thripadectes holostictus* – A pair was seen at the forest above Cock of the Rock lodge.

Black-billed Treehunter *Thripadectes melanorhynchus* - A pair was seen at the forest close by the Cock of the Rock lodge.

Point-tailed Palmcreeper *Berlepschia rikeri* – It was only heard along one of the boat rides along the Madre de Dios River.

**Peruvian Recurvebill** *Simoxenops ucayalae* – (E) A pair was heard along the Anthrush trail and two were briefly seen along the Cocha Nuevo bamboo trail where many others were seen.

Chestnut-winged Foliage-gleaner *Philydor erythropterum* - A pair was seen inside forest at Manu Wild Life Center lodge area.

Eastern Woodhaunter *Hyloctistes subulatus* – One bird was nicely seen inside forest along the trails of MWC.

Rufous-tailed Foliage-gleaner *Philydor ruficaudatum* – A pair was seen inside forest in the Manu Wild Life Center lodge area.

Rufous-rumped Foliage-gleaner *Philydor erythrocerus* – The lowland form was seen inside forest near Camungo Lake.

Buff-fronted Foliage-gleaner *Philydor rufum* – One bird was seen on the treetops at the river island close to the Macaw clay leek.

Bamboo Foliage-gleaner *Anabazenops dorsalis* – One was heard in Amazonia lodge and another was seen along the Anthrus trail in the Manu Wild Life Center Lodge area.

Buff-throated Foliage-Gleaner *Automolus ochrolaemus* – A very common voice especially in Amazonia lodge but unexplainably we didn't see it.

Olive-backed Foliage-gleaner *Automolus infuscatus* – A single bird was seen inside forest at the Manu Wild Life Center lodge.

Brown-rumped Foliage-gleaner *Automolus melanopezus* – A pair was seen inside forest at the Manu Wild Life Center lodge.

Chestnut-crowned Foliage-gleaner *Automolus rufipileatus* – A very common voice especially in Amazonia lodge but unexplainably we didn't see it.

Slender-billed Xenops *Xenops tenuirostris* – A single bird was seen in Amazonia Lodge and a few more were also seen in the Camungo and MWC forests.

Streaked Xenops *Xenops rutilans* – Single birds were seen near Cock-of-the-rock Lodge and in the way to Amazonia Lodge.

Plain-brown Woodcreeper *Dendrocincla fuliginosa* – One was only heard in MWC and one was briefly seen in Amazonia Lodge.

Olivaceous Woodcreeper *Sittasomus griseicapillus* – It was heard several times in Amazonia and Manu Wild Life Center lodge.

Wedge-billed Woodcreeper *Glyphorhynchus spirurus* – One was seen in the way to Amazonia from Cock of the rock Lodge and at least four more in the MWC area.

Long-billed Woodcreeper *Nasica longirostris* – Unfortunately it was only heard in NWC.

Cinnamon-throated Woodcreeper *Dendrozetetes rufigula* – A very common voice at dawn and predawn both at forest in Manu Wild Life Center and Amazonia lodges where it was seen a couple of times.

Bar-bellied Woodcreeper *Hylezetetes stresemanni* – One single bird was seen inside forest near Camungo Lake. This is probably one of the rarest woodcreepers in the area.

Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus* – A pair was seen along the Manu road at the forest just above Pillahuata.

Amazonian Barred Woodcreeper *Dendrocolaptes certhia* – It was only heard inside forest near Camungo Lake.

Black-banded Woodcreeper *Dendrocolaptes picumnus* – One was nicely seen in Amazonia lodge.

Straight-billed Woodcreeper *Dendroplex picus* – One was seen near the Macaw clay leek and another one more seen at the forest edge in Camungo lake.

Striped Woodcreeper *Xiphorhynchus obsoletus* – One was only heard near Camungo Lake.

Ocellated Woodcreeper *Xiphorhynchus ocellatus* – One was seen inside in the way from Cock of the rock to Atalaya on mixed species flock and another one also seen inside forest in Amazonia lodge forest.

Elegant Woodcreeper *Xiphorhynchus elegans* – A pair of this not so much ELEGANT form of this inside forest bird was seen along the trails behind NWC lodge.

Buff-throated Woodcreeper *Xiphorhynchus guttatus* – Several were seen both at Amazonia and Manu Wild Life Center lodges where this species is commonly and continuously heard.  
Olive-backed Woodcreeper *Xiphorhynchus triangularis* – A couple was seen in the forest above Cock of the Rock lodge, also seen near the Andean Cock of the rock lodge and Pillahuata forest.

Montane Woodcreeper *Lepidocolaptes lacrymiger* – A couple was seen in the way down from Pillahuata to Cock of the Rock.

Lineated Woodcreeper *Lepidocolaptes albolineatus* – Single birds were seen in three different days inside forest at MWC area.

Red-billed Scythebill *Campylorhamphus trochilirostris* – It was a fairly common voice in Amazonia Lodge and one was seen along the bamboo forest at the Antthrush trail.

Fasciated Antshrike *Cymbilaimus lineatus* – A male was seen inside forest at Amazonia lodge and a pair more was also seen inside forest near MWC.

Bamboo Antshrike *Cymbilaimus sanctaemariae* – A nice pair was seen at the bamboo forest in Amazonia Lodge.

Great Antshrike *Taraba major* – A very common voice at Amazonia and Manu Wild Life Center lodge where we also saw a few.

Barred Antshrike *Thamnophilus doliatus* – A male was seen in the flooded vegetation at Camungo Lake edge.

Chestnut-backed Antshrike *Thamnophilus palliatus* – A nice pair was seen along the Manu road near Quitacalzón and others were heard at Cock of the Rock lodge.

Plain-winged Antshrike *Thamnophilus schistaceus* – probably the most common voice in Amazonia and Manu Wild Life Center lodge, we saw several in Amazonia lodge.

Variable Antshrike *Thamnophilus caerulescens* – A male was seen near Aguas Calientes and it was also heard just above the Cock of the Rock lodge.

Russet Antshrike *Thamnistes anabatinus* – Single birds were seen accompanying a mixed species flock just below the Cock of the Rock lodge along the Manu road.

Plain Antwren *Dysithamnus mentalis* – A pair was seen just below the Cock of the Rock lodge along the Manu road.

Dusky-throated Antshrike *Thamnomanes ardesiacus* – A pair was seen inside forest in the Manu Wild Life Center lodge area and another male was seen inside forest in Amazonia Lodge.

Bluish-slate Antshrike *Thamnomanes schistogynus* – A common voice with every midstory flock in Amazonia and Manu Wild Life Center lodge forest where we saw them in both places.

Spot-winged Antshrike *Pygiptila stellaris* – Several seen at Camungo lake forest and also at Manu Wild Life Center lodge forest.

White-eyed Antwren *Epinecrophylla leucophthalma* – A pair was nicely seen inside forest along the MWC trails.

Foothill Antwren *Epinecrophylla spodionota* – It was only heard along the Manu road near the San Pedro area.

Ornate Antwren *Epinecrophylla ornate* – A nice pair was seen at Cock of the Rock lodge forest and others heard in Amazonia lodge.

Rufous-tailed Antwren *Epinecrophylla erythrura* – A female was seen inside forest along the foothills of Amazonia Lodge.

Pygmy Antwren *Myrmotherula brachyura* – A common voice in Amazonia and Manu Wild Life Center lodges, single birds were seen in both places.

Sclater's Antwren *Myrmotherula sclateri* – A pair was seen at the Camungo Lake tower and a female more seen inside forest along the MWC trails.

Amazonian Streaked Antwren *Myrmotherula multostriata* – A pair was seen at Blanco Lake forest edge.

Stripe-chested Antwren *Myrmotherula longicauda* – A male was seen near San Pedro along the Manu road.

Plain-throated Antwren *Myrmotherula hauxwelli* – A pair was seen in the forest undergrowth at the Camungo lake forest and a male was also seen in Manu Wild Life Center lodge forest.

White-flanked Antwren *Myrmotherula axillaris* – A Pair was seen in Manu Wild Life Center lodge forest and a male was also seen at the river island close to the Macaw clay leek.

Slaty Antwren *Myrmotherula schisticolor* – A male was seen along forest edge at the Quitacalzón area in the Manu road.

Gray Antwren *Myrmotherula menetriesii* – A male was seen at Amazonia lodge and a pair was seen at Manu Wild Life Center lodge and Camungo forests.

Yellow-breasted Antwren *Herpsilochmus axillaris* – A pair was seen with a mixed species flock along the road from San Pedro to Atalaya.

Dot-winged Antwren *Herpsilochmus axillaris* – I was the only one that briefly saw a pair along the bamboo trail heading to Cocha Nuevo.

Striated Antbird *Drymophila devillei* – It was heard inside bamboo forest along the Cocha Nuevo trail.

Long-tailed Antbird *Drymophila caudata* – It was only heard along the Manu road at the Rocotal area.

Yellow-breasted Warbling-Antbird *Hypocnemis subflava* - A very common voice in Cock of the Rock lodge, one was seen just below San Pedro and two more were seen in Amazonia Lodge.

Peruvian Warbling-Antbird *Hypocnemis peruviana* - Heard only in Manu Wild Life Center lodge.

Yellow-rumped Antwren *Terenura sharpei* – A male was seen inside forest attending a mixed species flock near the Cock of the Rock lodge.

Gray Antbird *Cercomacra cinerascens* – One was seen inside from the Amazonia lodge tower and many others heard in MWC area.

Blackish Antbird *Cercomacra nigrescens* – A few were heard in Amazonia and a pair was seen at the Antthrush trail.

Black Antbird *Cercomacra serva* – A male was seen along the Manu road when moving from San Pedro to Atalaya.

Manu Antbird *Cercomacra manu* - A pair was seen along the Antthrush trail and a male was seen at close range in the bamboo forest at Amazonia Lodge.

White-backed Fire-Eye *Pyriglena leuconota* – At least three birds were seen along the Rocotal area and one more near San Pedro.

White-browed Antbird *Myrmoborus leucophrys* – Single males were seen inside second growth at Amazonia Lodge.

Black-faced Antbird *Myrmoborus myotherinus* – A male was seen inside forest in Amazonia Lodge and a female was also seen in MWC forest.

Band-tailed Antbird *Hypocnemoides melanopogon* – A pair was seen along the forest edge at a lake in Amazonia Lodge.

White-lined Antbird *Percnostola lophotes* - A common voice in Amazonia and Manu Wild Life Center lodge, we were able to see a nice pair in Amazonia.

Chestnut-tailed Antbird *Myrmeciza hemimelaena* – A very common voice in Amazonia and Manu Wild Life Center lodge, a pair was seen in Amazonia.

Black-throated Antbird *Myrmeciza atrothorax* – It was heard only in Amazonia and MWC second growth.

Goeldi's Antbird *Myrmeciza goeldii*– A pair was seen in Amazonia lodge forest and others were also heard in Amazonia and at Manu Wild Life Center area.

Plumbeous Antbird *Myrmeciza hyperthra* – It was heard along the forest edge in Blanco Lake and many others were heard along the trail heading to Camungo tower and lake.

Sooty Antbird *Myrmeciza fortis*– A male was seen inside forest at MWC.

Spot-backed Antbird *Hylophylax naevia* – A male was seen inside forest along the foothill forest in Amazonia Lodge.

Scale-backed Antbird *Willisornis poecilonota* - A male was seen inside forest along the inside of MWC.

Black-spotted Bare-Eye *Phlegopsis nigromaculata* – A pair was seen along the bamboo forest trail aheading to Cocha Nuevo.

Rufous-capped Antthrush *Formicarius colma* – One was heard at the Camungo Canopy tower trail and another one heard inside forest at MWC.

Black-faced Antthrush *Formicarius analis* – A common voice in Amazonia lodge and Manu Wild Life Center lodge area, we finally saw a bird that walked very close to us along the jeep trail in Amazonia.

Rufous-fronted Antthrush *Formicarius rufifrons* – One was seen along the Antthrush trail where we previously heard it before.

Rufous-breasted Antthrush *Formicarius rufipectus* - One was only heard inside forest at the Cock of the Rock lodge forest.

Barred Antthrush *Chamaeza mollissima* – A couple of birds were only heard in the Rocotal area along the Manu Road.

Stripe-headed Antpitta *Grallaria andicola* – A single bird was seen along the upper part of the Santa Eulalia road.

White-throated Antpitta *Grallaria albigula* - It was only heard along the Rocotal second growth edge. We try to lure it in but the bird did not want to cooperate.

Red-and-white Antpitta *Grallaria erythroleuca* – Unfortunately only heard along the Manu road along the Pillahuata area.

Amazonian Antpitta *Hylopezus berlepschi* – Several were heard in Amazonia lodge where we finally saw one at very close range.

Thrush-like Antpitta *Mymothera campanisona* – A common voice in Amazonia and MWC. One was seen inside forest in Amazonia Lodge.

Ochre-breasted Antpitta *Grallaricula flavirostris* – We only heard one along the Manu road at the Rocotal area.

Ash-throated Gnateater *Conopophaga peruviana* – A pair was seen inside forest at the hillforest of Amazonia Lodge. One more was heard inside forest near the Camungo Lake.

Rusty-belted Tapaculo *Liosceles thoracicus* – A pair was nicely seen in Amazonia lodge forest, many others heard in Amazonia and MWC.

Trilling Tapaculo *Scytalopus parvirostris* – One was seen at the forest edge just above Wayquecha.

White-crowned Tapaculo *Scytalopus atratus* – One was nicely seen at Rocotal along the Manu Road, many others were heard near Cock of the rock Lodge.

*S. bolivianus* has already been split based on voice and distribution. Leaving the atratus group (with *confusus* and *nigricans*) as White-crowned Tapaculo. This three subspecies might deserve species rank and even more *S. a. atratus* itself might be prove to be formed of two species since *S. a. atratus* north of the Marañon River sounds entirely different than the *S. a. atratus* south of the Marañon River. The entire group might be formed out of 4 species in total.

Puna Tapaculo *Scytalopus simonsi* – Heard only near Ajanaco pass.

White-fronted Tyrannulet *Phyllomyias zeledoni* – One single bird of this rare and difficult to identify bird was only seen near the gardens of Amazonia Lodge. This taxon is consider to be a separate species from Rough-legged Tyrannulet *Phyllomyias burmeisteri* based on distribution and habitat.

Sclater's Tyrannulet *Phyllomyias sclateri* - A common bird in the forested areas near Aguas Calientes.

Ashy-headed Tyrannulet *Phyllomyias cinereiceps* – One was only seen in Pueblo Nuevo Hotel grounds.

Plumbeous-crowned Tyrannulet *Phyllomyias plumbeiceps* - It was only heard near San Pedro and one single bird was seen in Pueblo Nuevo Hotel grounds.

Southern Beardless-Tyrannulet *Camptostoma obsoletum* – Only one bird was heard in some gardens at Lima city.

Yellow-crowned Tyrannulet *Tyrannulus elatus* – Two single birds were seen in two separated days in Amazonia lodge and one more was seen from Camungo tower.

Forest Elaenia *Myiopagis gaimardii* – Many heard in Amazonia where one was seen and also a common voice in mWC area where it was also seen.

Gray Elaenia *Myiopagis caniceps* – A pair was seen at the river island close to the Macaw clay leek.

Greenish Elaenia *Myiopagis viridicata* – One single bird was seen inside forest near the Camungo Lake.

White-crested Elaenia *Elaenia albiceps* – A couple was seen in the scrubby forest at Huacarpay lake and one pair more above Paucartambo.

Mottle-backed Elaenia *Elaenia gigas* - One was seen along the way from Cock of the rock to Atalaya and a few more heard along the river edge at Amazonia Lodge.

Highland Elaenia *Elaenia obscura* - At least a couple were seen and many others were heard slightly above Aguas Calientes in the way to Pacchu Pichu.

Sierran Elaenia *Elaenia pallatangae* – A few were seen near Pillahuata and above Cock of the Rock lodge and also at Macchu Pichu.

White-lored Tyrannulet *Ornithion inermis* – One was seen from the tower in Amazonia lodge.

White-tailed Tyrannulet *Mecocerculus poecilocercus* - It was heard only near Wayquecha.

White-banded Tyrannulet *Mecocerculus stictopterus* – AT least some ten birds were seen just aboveP illahuata.

White-throated Tyrannulet *Mecocerculus leucophrys* – A fairly common species in Temperate and High Montane forest around Pillahuata.

Pied-crested Tit-Tyrant *Anairetes reguloides* – One was seen in the upper area in Lomas de Lachay and at least three more along the Santa Eulalia road.

Yellow-billed Tit-Tyrant *Anairetes flavirostris* – A pair was seen at temperate scrub habitat along the Santa Eulalia road.

Torrent Tyrannulet *Serpophaga cinerea* - A pair was seen in the Rocotal area at a stream along the Manu road.

Mouse-colored Tyrannulet *Phaeomyias murina* – Three birds were seen only in the river island close to the Macaw clay leek.

Subtropical Doradito *Pseudocolopteryx acutipennis* – A pair was seen in the low vegetation in front of the Macaw clay leek.

Ringed Antpipit *Corythopis torquata* – Only one bird was encountered in Amazonia Lodge. As the Usual Petra spotted really quick and made the search of the bird very easy.

Bolivian Tyrannulet *Zimmerius bolivianus* - A few were seen at forest edge along the Rocotal area and also at the Cock of the Rock lodge.

Slender-footed Tyrannulet *Zimmerius gracilipes* – It was heard and eventually seen on the gardens of the Amazonia Lodge.

Marble-faced Bristle-tyrant *Phylloscartes ophthalmicus* - One was heard at the Cock of the Rock lodge and one was seen near the Quitacalzón area.

Spectacled Bristle-tyrant *Phylloscartes orbitalis* – One single bird was seen at forest edge along the Quitacalzón area.

Mottle-cheeked Tyrannulet *Phylloscartes ventralis* – One or two were seen in a daily basis in the Aguas Calientes forest.

Cinnamon-faced Tyrannulet *Phylloscartes parkeri* – One was nicely seen at the Cock of the Rock lodge gardens.

Streak-necked Flycatcher *Mionectes striaticollis* – A few were seen below Pillahuata and above Cock of the Rock lodge.

Olive-striped Flycatcher *Mionectes olivaceus* – A couple of birds were seen along the forest edge at the Quitacalzón area.

Sepia-capped Flycatcher *Leptopogon amaurocephalus* – A fairly common voice at Amazonia where we eventually saw a couple.

Slaty-capped Flycatcher *Leptopogon superciliaris* - Pairs were seen in a daily basis at Rocotal, Cock of the Rock lodge and Quitacalzón.

Inca Flycatcher *Leptopogon taczanowskii* – A pair was seen in the way from Pillahuata to Cock of the Rock lodge and at least two more along the Rocotal area.

Many-colored Rush-tyrant *Tachuris rubrigastra* – Two were seen only at the Huacarpay Lake.

Short-tailed Pygmy-Tyrant *Myiornis ecaudatus* – The smallest passerine bird was only heard in the MWC area.

Scale-crested Pygmy-tyrant *Lophotriccus pileatus* – two were seen near the Cock of the Rock lodge where a common voice and many others were heard also at Rocotal and Quitacalzón.

Flammulated Bamboo-Tyrant *Hemitriccus flammulatus* - One was seen at the bamboo forest trail heading to Cocha Nuevo.

White-bellied Tody-tyrant *Hemitriccus griseipectus* – A pair was seen in upper story tangle inside forest at Manu Wild Life Center lodge forest.

Johannes' Tody-tyrant *Hemitriccus iohannis* – A very common voice at Amazonia lodge were at least three or four where seen.

Black-throated Tody-tyrant *Hemitriccus granadensis* – Several were heard near Wayquecha where we finally had good views of one.

Ochre-faced Tody-flycatcher *Poecilatriccus plumbeiceps* – A nice pair was seen at close range along the second growth in the Rocotal area.

Rusty-fronted Tody-Flycatcher *Poecilatriccus latirostris* – One was seen at the river island near the Macaw clay leek and several others were heard in the way from San Pedro to Atalaya.

**Black-backed Tody-flycatcher** *Poecilatriccus pulchellus* – (E) Unfortunately it was only heard in the way from San Pedro to Atalaya.

Spotted Tody-Flycatcher *Todirostrum maculatum* – It was only heard at the second growth in Amazonia Lodge and heard also at the river island near the Macaw clay leek.

Common Tody-Flycatcher *Todirostrum cinereum* – It was only heard at a second growth near Macchu Pichu.

Yellow-browed Tody-flycatcher *Todirostrum chrysocrotaphum* – A pair was seen at canopy tower in Amazonia lodge and others were heard near Manu Wild Life Center lodge.

Yellow-olive Flycatcher *Tolmomyias sulphureus* – A pair was seen near the Quitacalzón area.

Zimmer's Flycatcher *Tolmomyias assimilis* – One was seen in the way to Pilcopata when we were traveling to Atalaya, it was also heard from the Amazonia tower and the MWC forest

Gray-crowned Flycatcher *Tolmomyias poliocephalus* – A common voice in Amazonia and Manu Wild Life Center lodges. A couple was seen in Amazonia Lodge.

Yellow-breasted Flycatcher *Tolmomyias flaviventris* – Several were heard in Amazonia Lodge where one was seen inside tall second growth.

Golden-crowned Spadebill *Platyrinchus coronatus* – One single bird was seen inside forest near the Camungo Lake.

Unadorned Flycatcher *Myiophobus inornatus* – One single bird was seen accompanying a mixed species flock in the way from Pillahuata to Cock of the Rock.

Bran-colored Flycatcher *Myiophobus fasciatus* – At least four were seen in Amazonia Lodge.

Ruddy-tailed Flycatcher *Terenotriccus erythrurus* – One was seen inside forest near Camungo Lake and one more inside forest in MWC.

Cinnamon Flycatcher *Pyrrhomyias cinnamomea* – A fairly common bird from Pillahuata to Cock of the Rock lodge.

Handsome Flycatcher *Nephelomyias pulcher* – A pair was seen in along the Pillahuata area.

Euler's Flycatcher *Lathrotriccus euleri* – One was only heard in Amazonia Lodge.

Smoke-colored Pewee *Contopus fumigatus* – Three were seen at the Rocotal area and three more in the Aguas Calientes area.

Tropical Pewee *Contopus cinereus* – One single bird was seen along the second growth of the Camungo lake shore.

Black Phoebe *Sayornis nigricans* – A fairly common bird along streams at Rocotal, Cock of the Rock lodge and Aguas Calientes.

Vermilion Flycatcher *Pyrocephalus rubinus* – A fairly common bird in many different habitats along the Madre de Dios River.

Andean Tyrant *Knipolegus signatus* - One single female was seen right by the entrance gate to Macchu Pichu ruins.

White-winged Black-tyrant *Knipolegus aterrimus* – A pair was seen in dry scrubby forest just above Paucartambo.

Drab Water-tyrant *Ochthornis littoralis* – A very common bird along the shores of the Madre de Dios River.

Little Ground-tyrant *Muscisaxicola fluviatilis* – One single bird was seen in the short vegetation in front of the Macaw clay leek.

Spot-billed Ground-tyrant *Muscisaxicola maculirostris* - One single bird was seen in the upper Santa Eulalia Road.

Taczanowski's Ground-Tyrant *Muscisaxicola griseus* – One single bird was seen in the highlands from Cusco to Paucartambo and one more in the highlands of the Santa Eulalia Road.

Cinereous Ground-Tyrant *Muscisaxicola cinerea* – One was seen in the highlands from Cusco to Paucartambo.

White-fronted Ground-tyrant *Muscisaxicola albifrons* – At least half a dozen were seen in the Ticlio area.

Rufous-naped Ground-tyrant *Muscisaxicola rufivertex* – We found this to be the most common Ground-tyrant species at Huacarpay Lake where we saw at least six.

Black-billed Shrike-tyrant *Agriornis montana* – One bird was seen in the highlands from Cusco to Paucartambo and one more was seen in the highlands of the Santa Eulalia Road.

White-tailed Shrike-tyrant *Agriornis andicola* - One single bird was seen in the highlands of the Santa Eulalia Road.

Streak-throated Bush-tyrant *Myiotheretes striaticollis* – One single bird was seen above Paucartambo and more was seen also along the Santa Eulalia Road.

Pied Water-Tyrant *Fluvicola pica* – A male was seen at the shore of the Camungo lake.

Peruvian Chat-tyrant *Ochthoeca spodionota* – It was only heard at the Pillahuata area along the Manu Road.

Maroon-belted Chat-tyrant *Ochthoeca thoracica* – A pair was seen at the Pillahuata area along the Manu Road.

Rufous-breasted Chat-tyrant *Ochthoeca rufipectoralis* – A fairly common bird in temperate forest above Pillahuata and near Wayquecha.

Brown-backed Chat-Tyrant *Ochthoeca fumicolor* – A pair was seen in temperate forest above Wayquecha.

D'Orbigny's Chat-Tyrant *Ochthoeca oenanthoides* – One single bird was seen near the Polylepis patches along the Santa Eulalia Road.

White-browed Chat-tyrant *Ochthoeca leucophrys* – A common bird in the scrubby habitat in the inner valleys close to Paucartambo, also in Huacarpay and above San Marcos.

Long-tailed Tyrant *Colonia colonus* – Only a couple of these handsome birds were seen in the way from San Pedro to Atalaya and Amazonia Lodge.

Piratic Flycatcher *Legatus leucophaeus* – A few were heard in Amazonia where one was seen from the Canopy tower.

Social Flycatcher *Myiozetetes similis* – A common bird from Cock of the Rock lodge to Amazonia lodge and MWC.

Gray-capped Flycatcher *Myiozetetes granadensis* – A very common bird from Cock of the Rock lodge to Amazonia lodge.

Dusky-chested Flycatcher *Myiozetetes luteiventris* – One single bird was in on the treetops from inside forest at NWC.

Great Kiskadee *Pitangus sulphuratus* – Several were seen at Blanco and Camungo Lake, and also along the Madre de Dios River.

Lesser Kiskadee *Pitangus lictor* – Four were seen at Blanco lake.

Lemon-browed Flycatcher *Conopias cinchoneti* – A few were seen at Cock of the Rock lodge.

Golden-crowned Flycatcher *Myiodynastes chrysocephalus* – Several were seen at the Rocotal area and also near the Cock of the Rock lodge and a few more in the Aguas Calientes area.

Streaked Flycatcher *Myiodynastes maculatus* – Three were seen near the Cock of the Rock lodge and one more only seen in the river island close to the Macaw Clay leek.

Boat-billed Flycatcher *Megarhynchus pitangua* – A pair was seen at Amazonia Lodge and others heard in Manu Wild Life Center lodge.

Crowned Slaty-Flycatcher *Empidonomus aurantioatrocristatus* – One was seen seating on the tree tops from the Camungo canopy tower and one another one also seen from inside forest in MWC area.

Tropical Kingbird *Tyrannus melancholicus* - A very common bird in a variety of habitats, only absent from the highlands.

Grayish Mourner *Rhytipterna simplex* - It was heard in the Manu Wild Life Center lodge area and it was seen from the canopy tower in Amazonia Lodge.

Eastern Sirystes *Sirystes sibilator* – It was heard at the Macaw clay leek and It was seen at a close range from the Camungo tower.

Dusky-capped Flycatcher *Myiarchus tuberculifer* – One was seen below the Andean cock of the rock and also in the river island close to the Macaw clay leek.

Swainson's Flycatcher *Myiarchus swainsoni* – A pair was seen in the trail heading to the Macaw clay leek blind, two more in Camungo Lake shores and one more above Atalaya.

Short-crested Flycatcher *Myiarchus ferox* – A few were seen at Amazonia and one more was seen in the trail heading to the Macaw clay leek blind.

Large-headed Flatbill *Ramphotricon megacephala* – It was heard inside bamboo forest along the Anthrush trail.

Rufous-tailed Flatbill *Ramphotricon ruficauda* – A pair was seen inside forest along the trails of MWC.

Dusky-tailed Flatbill *Ramphotricon fuscicauda* - After much trying one was seen inside bamboo forest along the Anthrush trail.

White-eyed Attila *Attila bolivianus* – One was seen at Manu Wild Life Center forest where several others were heard.



Bright-rumped Attila *Attila spadiceus* – A couple were heard but no seen at Amazonia and Manu Wild Life Center lodge.

Band-tailed Fruiteater *Pipreola intermedia* – A Pair was seen along the Manu Road at the Rocotal area.

Barred Fruiteater *Pipreola arcuata* – One male was seen in the Pillahuata area along the Manu Road.

**Masked Fruiteater** *Pipreola pulchra* – (E) A beautiful pair was seen at the gardens of the Pueblo Nuevo hotel.

Red-crested Cotinga *Ampelion rubrocristata* – A pair was seen in the Pillahuata area along the Manu Road.

Andean Cock-of-the-rock *Rupicola peruviana* – Several single birds were seen along the cock of the rock lodge area and Quitacalzón along the Manu Road.

Purple-throated Fruitcrow *Querula purpurata* – A small

family group was seen from the Camungo tower.

Amazonian Umbrellabird *Cephalopterus ornatus* – A female was seen carrying nesting material in the Quitacalzón area.

Spangled Cotinga *Cotinga cayana*– A male was seen from the Camungo Canopy tower.

Screaming Piha *Lipaugus vociferans* – Several birds were heard inside forest and one was seen from the Camungo Canopy tower.

Bare-necked Fruitcrow *Gymnoderus foetidus* – Several were seen from Manu Wild Life Center lodge and along the Madre de Dios River.

Dwarf Tyrant-Manakin *Tyrannetes stolzmanni* – One was seen inside forest near the Camungo trail and many others were seen.

Fiery-capped Manakin *Machaeropterus pyrocephalus* – A few were only heard in Amazonia lodge.

Blue-crowned Manakin *Pipra coronata* - It was only heard inside forest in MWC area.

Cerulean-capped Manakin *Pipra coeruleocapilla* – A couple of females were seen inside forest along the Cock of the rock lodge trails.

Blue-backed Manakin *Chiroxiphia pareola* – One handsome male was inside forest at Manu Wild Life Center area.

Yungas Manakin *Chiroxiphia boliviana* – Several males were seen inside forest at Cock of the Rock lodge.

Green Manakin *Chloropipo holochlora* – A single bird was seen along the forest edge just above Quitacalzón.

Band-tailed Manakin *Pipra fasciicauda* – Two handsome males were seen in Amazonia Lodge and several others were heard at Amazonia and Manu Wild Life Center lodges.

Round-tailed Manakin *Pipra chloromeros* – A beautiful male was seen singing from inside forest at Amazonia lodge and others were also heard in MWC.

Black-crowned Tityra *Tityra inquisitor* – A male was seen only from the Camungo Lake tower.

Masked Tityra *Tityra semifasciata* – A couple was seen at Amazonia lodge.

Varzea Schiffornis *Schiffornis major* - One was heard only at Camungo Lake.

Cinereous Mourner *Laniocera hypopyrrha* – A pair was seen inside forest along the MWC forest trails.

Barred Becard *Pachyramphus versicolor* – A pair was heard near Aguas Calientes and a pair was seen along the Pillahuata area.

Chestnut-crowned Becard *Pachyramphus castaneus* – One single bird was seen at the river island close to the Macaw clay leek.

White-winged Becard *Pachyramphus polychopterus* – Several were heard in Amazonia where a few were seen, also heard from MWC area.

Pink-throated Becard *Pachyramphus minor* – A pair was seen in Amazonia lodge and one more heard near Camungo Lake.

Brown-capped Vireo *Vireo leucophrys* – A few were seen above the Andean Cock of the Rock lodge and also seen in the Aguas Calientes area.

Red-eyed Vireo *Vireo olivaceus* – Several were seen at Amazonia and Manu Wild Life Center lodge areas, fairly common also in Aguas Calientes forest.

Dusky-capped Greenlet *Hylophilus hypoxanthus* – It was only heard at Amazonia Lodge and finally one was seen at canopy forest at Manu Wild Life Center trails.

Tawny-crowned Greenlet *Hylophilus ochraceiceps* – One was seen inside forest in Amazonia Lodge and a pair was seen carrying nesting material along the Camungo Lake trail.

White-collared Jay *Cyanocorax viridicyana* – One single bird was seen in the Pillahuata area.

Violaceous Jay *Cyanocorax violaceus* – A common bird at Amazonia and Manu Wild Life Center lodges.

Purplish Jay *Cyanocorax cyanomelas* – Fairly common at Amazonia and Manu Wild Life Center lodges.

Inca Jay *Cyanocorax yncas* – A pair was seen along the Manu road at the Rocotal area.

Blue-and-white Swallow *Pygochelidon cyanoleuca* – A very common swallow at Cock of the Rock lodge, Macchu Pichu and Lima areas.

Brown-bellied Swallow *Orochelidon murina* – Fairly common in the highlands near Cusco and a few more in the highlands along the Santa Eulalia Road.

Pale-footed Swallow *Orochelidon flavipes* – A pair was seen flying over and calling overhead in the way from Pillahuata to Cock of the Rock lodge.

Andean Swallow *Orochelidon andecola* – Half a dozen were seen along highlands of the Santa Eulalia Road.

White-banded Swallow *Atticora fasciata* – Fairly common along the Madre de Dios River.

White-thighed Swallow *Atticora tibialis* – Two or three were seen flying overhead at the Amazonia Lodge.

Southern Rough-winged Swallow *Stelgidopteryx ruficollis* – A very common bird in Amazonia and Manu Wild Life Center lodges.

Brown-chested Martin *Progne tapera* – A few were seen near Amazonia lodge and at the Madre de Dios River.

White-winged Swallow *Tachycineta albiventer* – A common species along Madre de Dios River and the lakes of the surrounding areas.

Scaly-breasted Wren *Microcerculus marginatus* – heard only in Amazonia and MWC.

Southern House Wren *Troglodytes musculus* – Fairly common in many different habitats.

Mountain Wren *Troglodytes solstitialis* – Several were heard and a couple was seen in the way from Pillahuata to Cock of the Rock lodge.

Thrush-like Wren *Campylorhynchus turdinus* – A few were heard above Atalaya and Camungo Lake.

Inca Wren *Pheugopedius eisenmanni* – Several were heard right at the entrance to Macchu Pichu and down the road towards Aguas Calientes where one was beautifully seen inside forest.

Moustached Wren *Pheugopedius genibarbis* – A very common voice but even it can be at times hard to see we manage to have a look to some of them near San Pedro.

Buff-breasted Wren *Cantorchilus leucotis* – It was only heard from the floating vegetation at Camungo Lake.

Gray-breasted Wood-wren *Henicorhina leucophrys* – Several heard at Cock of the Rock lodge and near Aguas Calientes. Pairs were seen in both places almost on a daily basis.

Chestnut-breasted Wren *Cyphorhinus thoracicus* – It was only heard inside forest near Cock of the rock. We try to lure them into view with no success.

Long-billed Gnatwren *Ramphocaenus melanurus* – Heard at Amazonia. Petra had good looks of one inside forest behind MWC.

Black-capped Donacobius *Donacobius atricapillus* – Several were heard in marshy areas at Amazonia lodge and lakes by Manu Wild Life Center lodge and a few seen in Blanco and Camungo Lakes.

White-capped Dipper *Cinclus leucocephalus* – Several were seen at the Urubamba valley near Aguas Calientes.

Andean Solitaire *Myadestes ralloides* – One seen nicely at Rocotal along the Manu Road where several others were heard.

White-eared Solitaire *Entomodestes leucotis* – Three were nicely seen at Rocotal and it also heard near Macchu Pichu.

Hauxwell's Thrush *Turdus hauxwelli* – Several were heard inside forest in the Cock of the rock area.

Creamy-bellied Thrush *Turdus amaurochalinus* – One single bird was seen in the scrubby vegetation close to the Macaw Clay leek.

Black-billed Thrush *Turdus ignobilis* – Fairly common bird at Atalaya and Amazonia.

Great Thrush *Turdus fuscater* – A couple seen at Pillahuata and also heard near Aguas Calientes.

Chiguanco Thrush *Turdus chiguanco* – Very common bird near Cusco, Wayquecha, Pillahuata and Macchu Pichu/Aguas Calientes area also along the Santa Eulalia Road.

Glossy-black Thrush *Turdus serranus* - One was seen in the way from Pillahuata to Cock of the Rock lodge and one more was seen close to the Macchu Picchu ruins entrance.

Long-tailed Mockingbird *Mimus longicaudatus* – A couple was seen along the lower part of the Santa Eulalia road and also in Pantanos de Villa.

Yellowish Pipit *Anthus lutescens* – At least six were seen in the Lomas de Lachay protected area where many others were heard.

Red-capped Cardinal *Paroaria gularis* – A common bird at Amazonia lodge and also in the oxbow lakes near Manu Wild Life Center lodge.

Magpie Tanager *Cissopis leveriana* – A few were seen at Amazonia lodge, Cock of the rock lodge and Atalaya.

Slaty Tanager *Creurgops dentata* - A nice female was seen sun bathing at Rocotal and a pair was seen accompanying a mixed species flock below San Pedro.

Superciliaried Hemispingus *Hemispingus superciliaris* – A small group of four birds was seen in the way from Pillahuata to Cock of the Rock lodge.

Black-eared Hemispingus *Hemispingus melanotis* – Several were seen at Cock of the Rock lodge forest.

Drab Hemispingus *Hemispingus xanthophthalmus* – A small group of three were seen slightly above Wayquecha.

Orange-headed Tanager *Thlypopsis sordida* – One single bird was seen at the scrubby habitat close to the Macaw clay leek.

Rust-and-yellow Tanager *Thlypopsis ruficeps* - A fairly common bird in the way from Pillahuata to Cock of the Rock lodge and near Macchu Pichu.

Black-goggled Tanager *Trichothraupis melanops* – A pair was seen attending a mixed species flock slightly above Quiracalzón area.

Yellow-crested Tanager *Tachyphonus rufiventer* - A pair was seen attending a mixed species flock slightly above Quiracalzón area.

White-shouldered Tanager *Tachyphonus luctuosus* – A couple was seen in the river island close to the Macaw clay leek and a couple more inside bamboo along Cocha Nuevo trail.

White-winged Shrike-tanager *Lanio versicolor* - A pair was seen leading a midstory mixed species flock from Camungo tower and also a second pair along the trail leading to Blanco Lake.

Masked Crimson Tanager *Ramphocelus nigrogularis* – Fairly common at Amazonia and the oxbow lakes near Manu Wild Life Center lodge.

Silver-beaked Tanager *Ramphocelus carbo* – A very common bird at Cock of the Rock, Amazonia and Manu Wild Life Center lodges.

Blue-gray Tanager *Thraupis episcopus* – A common bird at Cock of the Rock, Amazonia and Manu Wild Life Center lodges.

Palm Tanager *Thraupis palmarum* – Commonly seen at Amazonia lodge and a few more in MWC.

Blue-capped Tanager *Thraupis cyanocephala* – One was seen in the way from Pillahuata to Cock of the Rock lodge and one more near Macchu Pichu entrance.

Blue-and-yellow Tanager *Thraupis bonariensis* – Small numbers at Huacarpay Lake, Wayquecha, Cock of the rock Lodge and near Macchu Pichu. Several were also seen along the Santa Eulalia Road.

Hooded Mountain-tanager *Buthraupis montana* – Good numbers were seen in the way from Pillahuata to Cock of the Rock lodge.

Scarlet-bellied Mountain-tanager *Anisognathus igniventris* - Fairly common in the forest above Pillahuata and also in the way from Pillahuata to Cock of the Rock lodge.

Blue-winged Mountain-tanager *Anisognathus somptuosus* – I was the only one that saw a pair above the Cock of the Rock lodge.

Grass-green Tanager *Chlorornis riefferii* – Three were seen above Wayquecha and a pair more was seen in the way from Pillahuata to Cock of the Rock lodge.

Chestnut-bellied Mountain-tanager *Delothraupis castaneiventris* – A pair was seen above Pillahuata.

Yellow-throated Tanager *Iridosornis analis* – Two were seen at Rocotal and four more were seen near Quitacalzón.

Golden-collared Tanager *Iridosornis jelskii* – Pairs were seen everyday near Wayquecha.

Fawn-breasted Tanager *Pipraeidea melanonota* – A pair was seen above Pillahuata.

Orange-eared Tanager *Chlorochrysa calliparaea* – This beautiful manager was found in small groups at Cock of the Rock lodge and also near Quitacalzón.

Golden-naped Tanager *Tangara ruficervix* – Three were seen on a mixed species flock on the way from Wayquecha to Cock of the rock Lodge.

Silver-backed Tanager *Tangara viridicollis*– A pair was seen at the Pueblo Nuevo Hotel grounds and also along the bottom part of the road from Aguas Calientes to Macchu Pichu.

Blue-necked Tanager *Tangara cyanicollis* – Very numerous at Cock of the rock Lodge and Amazonia Lodge.

Yellow-bellied Tanager *Tangara xanthogastra* – A pair was seen in the Quitacalzón area when we were in our way to Atalaya.

Spotted Tanager *Tangara punctata* – Small numbers were seen in a daily basis at Cock of the Rock lodge and also near Atalaya.

Blue-and-black Tanager *Tangara vassorii* – A few were seen in forest edge at Rocotal, Wayquecha and near Macchu Pichu too.

Beryl-spangled Tanager *Tangara nigroviridis* - Very common at Cock of the Rock lodge.

Turquoise Tanager *Tangara mexicana* – Several seen only at Amazonia lodge.

Paradise Tanager *Tangara chilensis* – Fairly numerous at Amazonia and Cock of the Rock lodge and a few more were seen from the Camungo tower.

Opal-rumped Tanager *Tangara velia* – Four were seen from the Camungo canopy tower.

Opal-crowned Tanager *Tangara callophrys* – Single birds were seen near Amazonia Lodge and from the canopy tower from Amazonia.

Bay-headed Tanager *Tangara gyrola* – Single birds were seen near Quitacalzón in two different days.

Golden-eared Tanager *Tangara chrysotis* – Pairs were seen eating from a fruiting tree in the garden of Cock of the Rock lodge in two different days.

Saffron-crowned Tanager *Tangara xanthocephala* - Very common at Cock of the Rock lodge and small numbers seen near Aguas Calientes and Macchu Pichu entrance.

Green-and-gold Tanager *Tangara schrankii* - A few were seen at Amazonia lodge and a pair more seen from the Camungo Canopy tower.

Golden Tanager *Tangara arthus* – Fairly common at Cock of the Rock Lodge.

Black-faced Dacnis *Dacnis lineata* – Pairs were seen at Quitacalzón, from the Amazonia canopy tower and the Camungo canopy tower.

Yellow-bellied Dacnis *Dacnis flaviventer* – A male was seen near the Amazonia Lodge gardens and a pair more was also seen from the Camungo canopy tower.

Blue Dacnis *Dacnis cayana* – A pair was seen at Camungo canopy tower, another pair seen at Macchu Pichu entrance and one or two in a daily basis at the Cock of the Rock Lodge area.

Purple Honeycreeper *Cyanerpes caeruleus* – A female was seen in Rocotal, a pair more was seen in our way to Atalaya and at least two pairs were seen at Camungo canopy tower.

Green Honeycreeper *Chlorophanes spiza* – Three male was seen at Amazonia Lodge canopy tower.

Guira Tanager *Hemithraupis guira* – A pair was seen from the Camungo canopy tower.

Yellow-backed Tanager *Hemithraupis flavicollis* – A male was seen inside forest along the trails behind MWC.

Chestnut-vented Conebill *Conirostrum speciosum* – A male was seen at the trail heading to the Macaw clay leek.

Cinereous Conebill *Conirostrum cinereum* – A pair was seen near Huacarpay Lake and very common in Lomas de Lachay and Santa Eulalia Road.

Capped Conebill *Conirostrum albifrons* – A few were seen in the way from Pillahuata to Cock of the Rock lodge.

White-browed Conebill *Conirostrum ferrugineiventris* – I was the only one that saw a fast moving pair above Wayquecha.

Moustached Flowerpiercer *Diglossa mystacalis* - Four were seen in Ajanaco and two more near Wayquecha.

Black-throated Flowerpiercer *Diglossa brunneiventris* – Several were seen in Huacarpay Lake, near Ajanaco, Paucartambo and a couple more in the way from Pillahuata to Cock of the Rock Lodge.

Rusty Flowerpiercer *Diglossa sittoides* – A female was seen at Rocotal along the Manu Road and also near Macchu Pichu.

Golden-eye Flowerpiercer *Diglossa glauca* – At least some four to six birds were seen along the Rocotal area. Golden-eye is a much better English name than Deep-blue F. There are many Blue color Flowerpiercer and you could argue some of them carry a deep blue color on them! Nevertheless is THE ONLY ONE WITH A GOLDEN EYE!

Masked Flowerpiercer *Diglossa cyanea* - Three were seen in the way from Ajanaco to Wayquecha and at least one more near Aguas Calientes.

Bananaquit *Coereba flaveola* – A couple were seen only in Amazonia lodge.

Dull-colored Grassquit *Tiaris obscura* – At least were seen near Aguas Calientes.

Slate-colored Grosbeak *Pitylus grossus* – We saw at least six near Pilcopata and only heard in Amazonia and Manu Wild Life Center lodges.

Buff-throated Saltator *Saltator maximus* – Fairly common at Amazonia and Manu Wild Life Center lodge.

Grayish Saltator *Saltator coerulescens* – Pairs were seen almost in a daily basis in Amazonia and Manu Wild Life Center Lodges.

Golden-billed Saltator *Saltator aurantiirostris* – A pair was seen only above Paucartambo.

Yellow-shouldered Grosbeak *Parkerthraustes humeralis* – A pair was seen from the Camungo canopy tower.

Rufous-collared Sparrow *Zonotrichia capensis* – One of the most common birds everywhere except in the lowland rain forest habitats. Seen by thousands in Lomas de Lachay.

Yellow-browed Sparrow *Ammodramus aurifrons* – Three or four seen in the river island close to the Macaw clay leek.

Peruvian Sierra-Finch *Phrygilus punensis* – A pair was seen in the highlands between Cusco and Paucartambo and also a pair along the Santa Eulalia Road.

Mourning Sierra-Finch *Phrygilus fruticeti* – One or two were seen in the highlands between Cusco and Paucartambo but proved to be very numerous along the Santa Eulalia Road.

Ash-breasted Sierra-finch *Phrygilus plebejus* – A very numerous bird at Huacarpay Lake and in the highlands between Cusco and Paucartambo. A couple more were seen along the Santa Eulalia Road.

Band-tailed Sierra-finch *Phrygilus alaudinus* - Up to a dozen were seen in the south side of Lomas de Lachay.

White-winged Diuca-finch *Diuca speculifera* – Four or five were seen in the upper Santa Eulalia Road.

**Great Inca-finch** *Incaezpiza pulchra* – (E) A nice pair was seen in the scope at its usual spot along the Santa Eulalia Road.

**Chestnut-breasted Mountain-finch** *Poospiza caesar* – (E) A small family of 3 individuals



were seen in some dry valley between Cusco and Paucartambo and also a family of three were seen closer to Huacarpay Lake as we started our way to Paucartambo.

Collared Warbling-Finch *Poospiza hispaniolensis* – A pair was seen in Lomas de Lachay and at least six more along the lower Santa Eulalia Road.

Bright-rumped Yellow-finch *Sicalis uropygialis* – Extrangly only one singlebird was seen along the upper Santa Eulalia Road.

Blue-black Grassquit *Volatinia jacarina* – A pair was seen at the Macaw clay leek short vegetation and another pair in the lower Santa Eulalia Road.

Black-and-white Seedeater *Sporophila luctuosa* – A group of 15 to 20 showed up at the Amazonia Lodge gardens during our visit.

Chestnut-bellied Seedeater *Sporophila castaneiventris* – A few were seen at Amazonia lodge and also in the river island close to the Macaw clay leek.

Chestnut-bellied Seed-finch *Oryzoborus angolensis* – One male was seen at Amazonia lodge and also in the river island close to the Macaw clay leek.

Band-tailed Seedeater *Catamenia analis* – A very common bird at Huacarpay Lake and along the way from Cusco to Paucartambo. Several others were also seen along the Santa Eulalia Road.

Pectoral Sparrow *Arremon taciturnus* – Several were heard in Amazonia Lodge and finally a couple were seen.

Stripe-headed Brush-finch *Buarremon torquatus* – Unfortunately only heard near Aguas Calientes.

Olive Finch *Lysurus castaneiceps* – Only heard in the Quitacalzón area, despite the birds came fairly close we did not see them.

Black-faced (Gray-eared) Brush-finch *Atlapetes melanolaemus* - Very common at Pillahuata and Cock of the Rock lodge. This species is here considered a separated species from *A. latinuchus* Yellow-breasted Brush-finch (AKA Rufous-naped Brush-finch).

**Tricolored Brush-finch** *Atlapetes tricolor* – (E) After much looking we were able to lure a pair into view at the lower part of the Macchu Pichu Road. Here considered being a separated species from *A. chocoensis* Chocó Brush-finch from Ecuador and Colombia, therefore Tricolored Brush-finch is an endemic species to Perú.

**Rusty-bellied Brush-finch** *Atlapetes nationi* – (E) At least some 30 were seen along the Santa Eulalia Road.

Common Bush-tanager *Chlorospingus ophthalmicus* – A few were seen in the way from Pillahuata to Cock of the Rock lodge and at Rocotal along the Manu Road.

Yellow-whiskered Bush-tanager *Chlorospingus parvirostris* – It was only heard in the way from Pillahuata to Cock of the Rock lodge.

Yellow-throated Bush-tanager *Chlorospingus flavigularis* – Fairly common at Cock of the Rock lodge.

Highland Hepatic Tanager *Piranga lutea* – A pair was seen in some forest close to Aguas Calientes.

Red-crowned Ant-tanager *Habia rubica* – A few were encountered inside forest at Manu Wild Life Center lodge.

Olive Tanager *Chlorothraupis frenata* - A few were heard in Amazonia lodge and finally two were seen. Here considered being a separated species from *C. carmioli* (Carmioli's Tanager) from Eastern Panamá and Northwest Colombia.

Golden-bellied (Southern-Yellow) Grosbeak *Pheucticus chrysogaster* – Four or five were seen along the lower Santa Eulalia Road.

Black-backed Grosbeak *Pheucticus aureoventris* – One male was seen near Wayquecha and at least some four more near Macchu Pichu.

Blue-black Grosbeak *Cyanocompsa cyanoides* – A male was wonderfully seen in Amazonia Lodge.

Tropical Parula *Parula pitiayumi* – One was seen near Cock of the rock Lodge and two more near Aguas Calientes.

Slate-throated Whitestart *Myioborus miniatus* – Common at common at Cock of the Rock lodge and fewer in Aguas Calientes forest.

Spectacled Whitestart *Myioborus melanocephalus* – Fairly common above Cock of the Rock lodge and in Aguas Calientes forest.

Two-banded Warbler *Basileuterus bivittatus* – Four were seen in the way from Cock of the Rock lodge to Atalaya.

Cuzco Warbler *Basileuterus chrysogaster* – Treated here as a separated species from other species that were on the Golden-bellied Warbler group. Three or four were seen in the way from Cock of the Rock lodge to Atalaya.

Citrine Warbler *Basileuterus luteoviridis* – A pair was seen at Pillahuata along the Manu Road.

Pale-legged Warbler *Basileuterus signatus* – At least four or five were seen in the Rocotal area along the Manu Road.

Russet-crowned Warbler *Basileuterus coronatus* – Several were seen at Cock of the Rock lodge, Rocotal and also in Aguas Calientes forest.

Three-striped Warbler *Basileuterus tristriatus* – Several were seen near the Cock of the Rock lodge.

Buff-rumped Warbler *Basileuterus fulvicauda* – We saw it flying by in Amazonia lodge and heard near Quitacalzón area.

Russet-backed Oropendola *Psarocolius angustifrons* – A very common Oropendola in the lowlands. Amazonia and Manu.

Dusky-green Oropendola *Psarocolius atroverens* – A few were seen near Cock of the Rock lodge, Rocotal and Aguas Calientes.

Crested Oropendola *Psarocolius decumanus* – Small numbers were seen in a daily basis in Amazonia and MWC.

Olive Oropendola (Amazonian) *Psarocolius bifasciatus* – Several were seen flying away at Amazonia lodge canopy tower later on two or three were seen in a daily basis in Amazonia and MWC.

Casqued Oropendola *Psarocolius oseryi* – A group of six were seen in Amazonia Lodge area.

Southern Mountain Cacique *Cacicus chrysonotus* – Three were seen in the way from Pillahuata to Cock of the Rock lodge. Here considered a separated species from *C. leucorhampus* from the northern Andes.

Solitary Black Cacique *Cacicus solitarius* – One was nicely seen in Amazonia lodge where this species is a common voice, also heard near MWC.

Yellow-rumped Cacique *Cacicus cela* – Very common in the lowlands of Amazonia and MWC Lodges.

Orange-backed Troupial *Icterus croconotus* – One was nicely seen in the river island close to the Macaw clay leek.

Epaulet Oriole *Icterus cayanensis* – A pair was seen from the Amazonia Lodge canopy tower.

Scrub Blackbird *Dives warszewiczi* – Fairly common along the lower part of the Santa Eulalia Road.

Pale-eyed Blackbird *Agelaius xanthophthalmus* – A pair was seen at close range in the floating vegetation of Camungo Lake.

Yellow-winged Blackbird *Agelaius thilius* – A common bird at Huacarpay Lake.

Giant Cowbird *Scaphidura oryzivora* – Common along the Madre de Dios River.

Shiny Cowbird *Molothrus bonariensis* – One or two were seen at the river edge along Madre de Dios River.

Peruvian Meadowlark *Sturnella bellicosa* – A nice male was seen at close range in Pantanos de Villa and many others in Lomas de Lachay.

Hooded Siskin *Carduelis magellanica* – A couple were seen along the Cusco-Paucartambo road and over twenty in Lomas de Lachay and the lower Santa Eulalia Road.

Olivaceous Siskin *Carduelis olivacea* - Very common at Amazonia lodge and Atalaya and a couple seen near Aguas Calientes.

Thick-billed Euphonia *Euphonia lanirostris* – I was the only one that saw one in Amazonia Lodge.

White-lored Euphonia *Euphonia chrysopasta* – Pair were seen in Amazonia lodge and MWC almost in a daily basis.

Bronze-green Euphonia *Euphonia mesochrysa* – A male was seen in the forest edge along the Quitacalzón area.

Orange-bellied Euphonia *Euphonia xanthogaster* – A few were seen at of the Rock lodge almost in a daily basis.

Rufous-bellied Euphonia *Euphonia rufiventris* - Only heard at Manu Wild Life Center edge and Amazonia Lodge

Blue-naped Chlorophonia *Chlorophonia cyanea* – A handsome male was seen in the scope at the Quitacalzón area.

#### **INTRODUCED SPECIES**

Rock Pigeon – Cusco and the small towns near by Cusco.

The Main trip along Cusco, Manu and Macchu Pichu was very productive.

We recorded 630 species more than 1/3 of the Peruvian species.

62 were only heard

There were only 6 species I saw and Petra and Mamfred didn't see

The four days trip extension around Lima, Santa Eulalia and Lomas de Lachay added some extra 68 species seen,

The complete trip recorded a grand TOTAL of 698 spepcies.

Mammals

#### **Brown-mantled Tamarin *Saguinus fuscicollis***

At least two troops were seen inside forest in MWC.

#### **Goeldi's Marmoset *Callimico goeldii***

A small group of 4 or 5 individuals of this rare minkey was seen inside forest near Camungo Lake.

#### **Brown Titi Monkey *Callicebus brunneus***

One group was seen in Amazonia and another one in NWC.

#### **Boliivian Squirrel Monkey *Saimiri boliviensis***

Several groups were seen in MWC.

#### **Brown Capuchin Monkey *Cebus apella***

Several small groups were seen in MWC.

#### **Peruvian Spider Monkey *Ateles chamek***

A small troop was seen inside Forest in MWC.

**Grey Woolly Monkey *Lagothrix cana***

One pregnant female was seen along the road near Quitacalzón area.

**Giant Otter *Pteronura brasiliensis***

A lonely male was seen catching fish in Cocha Blanco

**Tayra *Eira barbara***

A family of three was seen feeding on bananas at the Cock of the rock lodge fruit feeders.

**White-tailed Deer *Odocoileus virginianus***

One male was seen jumping away at the river island close to the Macaw Clay leek.

**Collared Pecari *Tajacu tajacu***

A small group was seen along the Cocha Nuevo trail.

**Bolivian Squirrel *Sciurus ignitus***

One or two were feeding on bananas at the Cock of the rock lodge fruit feeders.

**Amazon Dwarf Squirrel *Microsciurus flaviventer***

One was seen inside forest in MWC.

**Southern Mountain Vizcacha *Lagidium viscacia***

A couple were seen inside the Macchu Pichu ruins.

**Capybara *Hydrochaeris hydrochaeris***

A small family group was seen from the Camungo canopy tower.

**Brown Agouti *Dasyprocta variegata***

Several feeding from the bananas at the Cock of the rock lodge fruit feeders.